



DART Installation for MacOS:

1. Double click on DMG installer file and then on **Cisco Secure Client.pkg**.




Install Secure Client pkg

2. Read the license and continue accordingly.




Agree to continue

3. Check only the **Diagnostic and Reporting Tool** and click on **Continue**.



Install DART


4. Comply with on screen instructions for installation of DART.



Installation Completed


Collecting DART Bundle on macOS

Step 1. Launch DART from either Mac Launchpad or Cisco Secure Client by clicking on **Generating Diagnostics Report** from the Cisco Secure Client menu in the menubar.




Mac Launchpad

or



Cisco Secure Client

Step 2. Select the additional log options to include legacy and system logs as per requirement and click on **Run**.



The screenshot shows a window titled "Cisco Secure Client - DART". Inside, there is a welcome message and a description of the DART tool. Below this, there are "Bundle Options" with checkboxes for "Enable Bundle Encryption" (unchecked) and "Mask Password" (checked). There is also an "Encryption Password" text field. Under "Additional Log Options", two checkboxes are checked: "Include Legacy - Cisco AnyConnect Secure Mobility Client Logs" and "Include System Logs". A "Run" button is located at the bottom right. A red rectangular box highlights the two checked checkboxes under "Additional Log Options".

Welcome to the Diagnostic and Reporting Tool (DART).

DART is a tool that helps to bundle the appropriate log files and diagnostic information that can be used for analyzing and debugging the Cisco Secure Client.



Bundle Options:

☐ Enable Bundle Encryption ☒ Mask Password

Encryption Password


Additional Log Options:

☒ Include Legacy - Cisco AnyConnect Secure Mobility Client Logs

☒ Include System Logs


Additional Log Options

Step 3. MacOS starts processing and collecting logs.



Processing Logs

Step 4. After processing, DART bundle is saved on Desktop by default.



DART bundle created